

# Recognizing the Needs of Populations Served through Interagency Partnerships

**NY Connects Fall 2016 Regional Trainings** 


#### **OASAS** "101"

- OASAS oversees a comprehensive system of substance use treatment, prevention and recovery services throughout NY State.
- This system includes over 1,500 nonprofit service providers and 12 Addiction Treatment Centers (ATC) directly operated by OASAS.
- On any one day, there are more than 120,000 individuals receiving services through this system.

### **OASAS Program Categories**

- Crisis Services
- Methadone
- Outpatient
- Inpatient
- Residential

## Past Year Treatment for Alcohol Use Among Individuals Aged 12 or Older with Alcohol Dependence or Abuse in New York (Annual Average, 2010–2014)




- Received Treatment for Alcohol Use
- Did Not Receive Treatment for Alcohol Use

Source: SAMHSA. (2015). Behavioral health barometer. Retrieved from: http://www.samhsa.gov/data/sites/default/files/2015\_New-York\_BHBarometer.pdf



Past Year Treatment for Illicit Drug Use Among Individuals Aged 12 or Older with Illicit Drug Dependence or Abuse in New York (Annual Average, 2010–2014)



- Received Treatment for Illicit Drug Use
- Did Not Receive Treatment for Illicit Drug Use



#### A Substance Use Disorder (SUD) Is:

- 1. A diagnosed dependence
- 2. A chronic and fatal disease
- 3. NOT a moral failing or issue.
- 4. Not curable, but it is treatable.

#### Common Characteristics of SUD

- Hypertension
- Lack of interest in sex
- Lack of energy/fatigue
- Slowed thought processes
- Boredom or loss of interest
- Seeking / use of mood altering drugs
- Frequent hospitalizations

- Change in sleep patterns
- Isolation
- Recurrent episodes of confusion
- Tremors
- Depressed or anxious mood
- Progressive memory loss
- Irritated, angry, combative

#### Lack of Recognition in the Provider Community

- For example, physicians often fail to recognize geriatric substance abuse for various reasons:
  - Lack of training and awareness
  - Embarrassment over screening for substance abuse
  - Failure to perceive the significance of substance abuse related medical problems
  - "Therapeutic underestimation":
    - "He is old, let him have his small pleasures."

## Some Concerns and Fears Individuals Report When Thinking About Treatment

- Treatment takes too long
- It is embarrassing to tell people
- Treatment is just for "hard core addicts"
- Treatment is too expensive
- It is hard being away from home

#### **OASAS** Resources

#### **Treatment Provider Directory Search:**

http://www.oasas.ny.gov/providerDirectory/index.cfm?search\_type=2

NYS HOPEline: 1-877-846-7369

**OASAS Field Offices** 

https://www.oasas.ny.gov/pio/regdir.cfm

**Substance Abuse and Mental Health Services Administration (SAMHSA)** 

http://www.samhsa.gov

**National Institute on Alcohol Abuse and Alcoholism** 

http://www.niaaa.nih.gov

**National Institute on Drug Abuse** 

http://www.drugabuse.gov



#### **Contact**

Paul Noonan Coordinator of Veterans & Older Adult Services

OASAS 1450 Western Avenue Albany, NY 12203 Tel. 518-457-5005

E-mail: paul.noonan@oasas.ny.gov

